

PANAMA CANAL AUTHORITY	VARIATION	PAGE 1 OF 2
1. REQUEST FOR PROPOSAL No.: RFP-76161	2. CONTRACT No.: CMC-221427	3. DATE: June 10, 2010
		4. VARIATION No.: 005

5. ISSUED BY:

PANAMA CANAL AUTHORITY
Employer's Representative
Locks Project Management Division
Building 740, Corozal
Panama, Republic of Panama

6. NAME AND ADDRESS OF CONTRACTOR (INCLUDE PHYSICAL & POSTAL ADDRESS) Grupo Unidos por el Canal Building 732, Corozal West Panama, Republic of Panama	7. CONTRACTOR'S TELEPHONE NUMBER: 507-316-9900
	8. CONTRACTOR'S FACSIMILE NUMBER: 507-317-6736

9. VARIATION:


- ☒ The contract referred to in item No. 2 is hereby varied as set forth in item 10, entitled "DESCRIPTION OF VARIATION".
- ☒ YES. ☐ NO. The contractor shall send a copy, duly signed, of this Variation to the Employer's Representative/Contracting Officer.

	9 A. THIS VARIATION IS EXECUTED ON THE BASIS OF: <i>(Specify the legal authority)</i> . THE VARIATION DESCRIBED IN ITEM 10 IS HEREBY INCORPORATED AND MADE A PART OF THE CONTRACT.
	9 B. THE CONTRACT REFERRED TO IN ITEM NO. 2, IS VARIED TO INCORPORATE ADMINISTRATIVE CHANGES (such as the paying office, account numbers, etc.).
X	9 C. THIS BILATERAL AGREEMENT IS SIGNED AND INCORPORATED INTO THE CONTRACT REFERRED TO IN ITEM NO. 2 OF THIS FORM, ON THE BASIS OF: <i>(Specify the legal authority)</i> Volume III, Conditions of Contract , Sub-Clause 1.16 [Entire Agreement], 4th Paragraph
	9 D. OTHER. <i>(Specify manner and the legal authority)</i> .
	9 E. ACCOUNT NUMBER <i>(If required)</i> :

10. DESCRIPTION OF THE VARIATION *(List in accordance with the order of the Contract. If additional space is required, use blank sheets).*

See attached


Except for the variation(s) herein specified, all other terms and conditions of the Contract remain unchanged.

11. NAME AND TITLE OF THE PERSON AUTHORIZED TO SIGN <i>(Type or print)</i> Antonio Maria Zaffaroni Contractor's Representative	12. NAME AND TITLE OF THE EMPLOYER'S REPRESENTATIVE/CONTRACTING OFFICER <i>(Type or print)</i> Jorge de la Guardia, Employer's Representative
13. CONTRACTOR  (Authorized signature)	14. DATE: 11.06.2010
	15. PANAMA CANAL AUTHORITY  (Employer's Representative/Contracting Officer's signature)
	16. DATE: 10/01/2010

Variation No. 5 is issued to incorporate the following change:

1. **Volume II, Part 4, Requirement Drawings –Section 00 01 15.02 04, List of Drawings.** Reflect the following changes:

Drawing No.	Title	Delete Revision No./Dated	Replace with Revision No./Dated (See attached)
5802-27	Atlantic Site - Location Plan	8 / 22-Feb-10	9 / 10-Jun-10
5802-28	Location Plan of Available Disposal Sites in Atlantic Site	7 / 22-Feb-10	8 / 10-Jun-10



APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

APPROX. 250 MCM AT ELEVATION +15M P.D.

POINT	ELEVATION	REMARKS
1	62308.24	102397.91
2	62310.71	102448.84
3	62313.28	102500.31
4	62316.81	102550.81
5	62321.43	102600.81
6	62327.43	102650.81
7	62333.48	102700.81
8	62339.52	102750.81
9	62345.56	102800.81
10	62351.60	102850.81

POINT	ELEVATION	REMARKS
1	62357.64	102900.81
2	62363.68	102950.81
3	62369.72	103000.81
4	62375.76	103050.81
5	62381.80	103100.81
6	62387.84	103150.81
7	62393.88	103200.81
8	62399.92	103250.81
9	62405.96	103300.81
10	62412.00	103350.81

POINT	ELEVATION	REMARKS
1	62418.04	103400.81
2	62424.08	103450.81
3	62430.12	103500.81
4	62436.16	103550.81
5	62442.20	103600.81
6	62448.24	103650.81
7	62454.28	103700.81
8	62460.32	103750.81
9	62466.36	103800.81
10	62472.40	103850.81

POINT	ELEVATION	REMARKS
1	62478.44	103900.81
2	62484.48	103950.81
3	62490.52	104000.81
4	62496.56	104050.81
5	62502.60	104100.81
6	62508.64	104150.81
7	62514.68	104200.81
8	62520.72	104250.81
9	62526.76	104300.81
10	62532.80	104350.81

POINT	ELEVATION	REMARKS
1	62538.84	104400.81
2	62544.88	104450.81
3	62550.92	104500.81
4	62556.96	104550.81
5	62563.00	104600.81
6	62569.04	104650.81
7	62575.08	104700.81
8	62581.12	104750.81
9	62587.16	104800.81
10	62593.20	104850.81

POINT	ELEVATION	REMARKS
1	62599.24	104900.81
2	62605.28	104950.81
3	62611.32	105000.81
4	62617.36	105050.81
5	62623.40	105100.81
6	62629.44	105150.81
7	62635.48	105200.81
8	62641.52	105250.81
9	62647.56	105300.81
10	62653.60	105350.81

POINT	ELEVATION	REMARKS
1	62659.64	105400.81
2	62665.68	105450.81
3	62671.72	105500.81
4	62677.76	105550.81
5	62683.80	105600.81
6	62689.84	105650.81
7	62695.88	105700.81
8	62701.92	105750.81
9	62707.96	105800.81
10	62714.00	105850.81

POINT	ELEVATION	REMARKS
1	62720.04	105900.81
2	62726.08	105950.81
3	62732.12	106000.81
4	62738.16	106050.81
5	62744.20	106100.81
6	62750.24	106150.81
7	62756.28	106200.81
8	62762.32	106250.81
9	62768.36	106300.81
10	62774.40	106350.81

POINT	ELEVATION	REMARKS
1	62780.44	106400.81
2	62786.48	106450.81
3	62792.52	106500.81
4	62798.56	106550.81
5	62804.60	106600.81
6	62810.64	106650.81
7	62816.68	106700.81
8	62822.72	106750.81
9	62828.76	106800.81
10	62834.80	106850.81

POINT	ELEVATION	REMARKS
1	62840.84	106900.81
2	62846.88	106950.81
3	62852.92	107000.81
4	62858.96	107050.81
5	62865.00	107100.81
6	62871.04	107150.81
7	62877.08	107200.81
8	62883.12	107250.81
9	62889.16	107300.81
10	62895.20	107350.81

POINT	ELEVATION	REMARKS
1	62901.24	107400.81
2	62907.28	107450.81
3	62913.32	107500.81
4	62919.36	107550.81
5	62925.40	107600.81
6	62931.44	107650.81
7	62937.48	107700.81
8	62943.52	107750.81
9	62949.56	107800.81
10	62955.60	107850.81

POINT	ELEVATION	REMARKS
1	62961.64	107900.81
2	62967.68	107950.81
3	62973.72	108000.81
4	62979.76	108050.81
5	62985.80	108100.81
6	62991.84	108150.81
7	62997.88	108200.81
8	63003.92	108250.81
9	63009.96	108300.81
10	63016.00	108350.81

POINT	ELEVATION	REMARKS
1	63022.04	108400.81
2	63028.08	108450.81
3	63034.12	108500.81
4	63040.16	108550.81
5	63046.20	108600.81
6	63052.24	108650.81
7	63058.28	108700.81
8	63064.32	108750.81
9	63070.36	108800.81
10	63076.40	108850.81

POINT	ELEVATION	REMARKS
1	63082.44	108900.81
2	63088.48	108950.81
3	63094.52	109000.81
4	63100.56	109050.81
5	63106.60	109100.81
6	63112.64	109150.81
7	63118.68	109200.81
8	63124.72	109250.81
9	63130.76	109300.81
10	63136.80	109350.81

POINT	ELEVATION	REMARKS
1	63142.84	109400.81
2	63148.88	109450.81
3	63154.92	109500.81
4	63160.96	109550.81
5	63167.00	109600.81
6	63173.04	109650.81
7	63179.08	109700.81
8	63185.12	109750.81
9	63191.16	109800.81
10	63197.20	109850.81

POINT	ELEVATION	REMARKS
1	63203.24	109900.81
2	63209.28	109950.81
3	63215.32	110000.81
4	63221.36	110050.81
5	63227.40	110100.81
6	63233.44	110150.81
7	63239.48	110200.81
8	63245.52	110250.81
9	63251.56	110300.81
10	63257.60	110350.81

POINT	ELEVATION	REMARKS
1	63263.64	110400.81
2	63269.68	110450.81
3	63275.72	110500.81
4	63281.76	110550.81
5	63287.80	110600.81
6	63293.84	110650.81
7	63299.88	110700.81
8	63305.92	110750.81
9	63311.96	110800.81
10	63318.00	110850.81

POINT	ELEVATION	REMARKS
1	63324.04	110900.81
2	63330.08	110950.81
3	63336.12	111000.81
4	63342.16	111050.81
5	63348.20	111100.81
6	63354.24	111150.81
7	63360.28	111200.81
8	63366.32	111250.81
9	63372.36	111300.81
10	63378.40	111350.81

POINT	ELEVATION	REMARKS
1	63384.44	111400.81
2	63390.48	111450.81
3	63396.52	111500.81
4	63402.56	111550.81
5	63408.60	111600.81
6	63414.64	111650.81
7	63420.68	111700.81
8	63426.72	111750.81
9	63432.76	111800.81
10	63438.80	111850.81

POINT	ELEVATION	REMARKS
1	63444.84	111900.81
2	63450.88	111950.81
3	63456.92	112000.81
4	63462.96	112050.81
5	63469.00	112100.81
6	63475.04	112150.81
7	63481.08	112200.81
8	63487.12	112250.81
9	63493.16	112300.81
10	63499.20	112350.81

POINT	ELEVATION	REMARKS
1	63505.24	112400.81
2	63511.28	112450.81
3	63517.32	112500.81
4	63523.36	112550.81
5	63529.40	112600.81
6	63535.44	112650.81
7	63541.48	112700.81
8	63547.52	112750.81
9	63553.56	112800.81
10	63559.60	112850.81

POINT	ELEVATION	REMARKS
1	63565.64	112900.81
2	63571.68	112950.81
3	63577.72	113000.81
4	63583.76	113050.81
5	63589.80	113100.81
6	63595.84	113150.81
7	63601.88	113200.81
8	63607.92	113250.81
9	63613.96	113300.81
10	63620.00	113350.81

POINT	ELEVATION	REMARKS
1	63626.04	113400.81
2	63632.08	113450.81
3	63638.12	113500.81
4	63644.16	113550.81
5	63650.20	113600.81
6	63656.24	113650.81
7	63662.28	113700.81
8	63668.32	113750.81
9	63674.36	113800.81
10	63680.40	113850.81

POINT	ELEVATION	REMARKS
1	63686.44	113900.81
2	63692.48	113950.81
3	63698.52	114000.81

